



June 20, 2019

VIA E-MAIL

Mr. John Iacoangeli, Principal
Beckett & Raeder, Inc.
535 West William, Suite 101
Ann Arbor, MI 48013

**RE: MAY 2019 RESULTS
POST-CONSTRUCTION ACME CREEK MONITORING
GRAND TRAVERSE TOWN CENTER, ACME, MICHIGAN**

Dear Mr. Iacoangeli:

The purpose of this letter is to transmit the results of post-construction surface water monitoring of Acme Creek completed by Barr Engineering (Barr) in May 2019 on behalf of the Village at Grand Traverse, LLC (VGT) at the Grand Traverse Town Center (G TTC) site in Acme Township, Grand Traverse County, Michigan. As you are aware, post-construction monitoring activities were initiated in September 2015. This report presents the results of the third quarter of the fourth year post-construction monitoring event (Year 4/Quarter 3).

Post-construction stream sampling recommendations were outlined in the site development plan for the G TTC (Site Plan Approval for Phase I of the SUP)¹ and later incorporated into a site inspection, monitoring, and maintenance plan submitted to the Township in September 2015 (Monitoring Plan).² The goal of the post-construction monitoring program is to evaluate water quality in Acme Creek over time. To facilitate the monitoring program, two fixed testing locations--one at the upstream point where Acme Creek enters the property and one at the downstream point where Acme Creek leaves the site--have been established (see Figure 1). Baseline (pre-construction) water quality samples were collected from both locations on July 26, 2011.

The Monitoring Plan calls for the receiving water for the G TTC site (Acme Creek) to be monitored for dissolved oxygen concentration, water temperature, specific conductivity, pH, volatile organic compounds (VOCs), total organic carbon (TOC), e. Coli, total dissolved solids (TDS), total suspended solids (TSS), water velocity and elevation. The monitoring was performed on a monthly basis for a period of one year following the completion of construction. Monitoring is scheduled to be performed on a quarterly basis during post-

¹ The Village at Grand Traverse Phase 1, Stormwater Management Recommendations, King & MacGregor Environmental, Inc., December 22, 2011

² Inspection, Monitoring and Maintenance Plan for the Storm Water Management System, Horizon Environmental Corporation, September 2015

construction years 2 through 4 and on a semi-annual basis for post-construction years 5 and beyond. This quarterly (Year 4, Quarter 3) post-construction monitoring event was completed on May 15, 2019. The results of this sampling event along with the results of the pre-construction (baseline) and prior post-construction sampling events are provided on Table 1.

DATA SUMMARY/EVALUATION

Dissolved oxygen, water temperature, specific conductivity and pH were measured at both of the stream gauges using an YSI 556 multi-parameter water quality meter. The data collected at each stream gauge were compared to available water quality standards in the Part 4 Water Quality Standards of Part 31, Water Resources Protection (MCL 324.3101) of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (Part 4). The following provides a summary of these results:

- The dissolved oxygen concentrations at both the upstream (11.2 mg/L) and downstream (11.3 mg/L) stream gauges were higher than the minimum standard of 7.0 mg/L specified under Part 4.
- The water temperature at both the upstream (49.3°F) and downstream (48.7°F) stream gauges were nearly identical. Both readings are below the maximum temperature in May specified under Part 4 for streams supporting cold water fish (65°F).
- The pH readings at both the upstream (7.63 S.U.) and downstream (7.42 S.U.) stream gauges were both within the pH range of 6.5 to 9.0 S.U specified under Part 4.

Stream samples were also collected for laboratory analyses of VOCs, TOC, TDS, TSS, e. Coli, and turbidity at both the upstream and downstream stream gauges. Laboratory data sheets are provided in Attachment I. A summary of the results compared to available water quality standards under Part 4 is provided as follows:

- VOCs were below laboratory detection limits at both the upstream and downstream gauges.
- The TDS concentrations at both the upstream (250 mg/L) and downstream (250 mg/L) stream gauges were significantly lower than the maximum TDS standard of 500 mg/L specified under Part 4.
- The upstream e. Coli concentration (15 colonies/100ml) and downstream e. Coli concentrations (20 colonies/100ml) were lower than maximum (19 colonies/100 ml) e.Coli concentration for total body contact.
- There was no significant difference in the TOC, TSS, and turbidity levels observed at the upstream and downstream locations.

Additional stream data, including water velocity and water elevation, were collected as part of this monitoring event. Stream velocities were measured using a Flo-Mate Model 2000 flowmeter. The results of the additional data collected are summarized on Table 1.

Mr. John Iacoangeli

June 20, 2019

Page 3


CONCLUSIONS

The results of this quarterly post-construction monitoring event (Year 4/Quarter 3) indicate that water quality in Acme Creek adjacent to the GTTC site meets or exceeds the Part 4 Water Quality Standards prescribed under Part 31 of the Water Resources Protection Section of NREPA (MCL 324.3101).

If you have questions or require additional information regarding this sampling event, please contact me at 616.554.3210.

Sincerely,

BARR ENGINEERING



A handwritten signature in black ink on a light-colored background. The signature is cursive and appears to read "Allen J. Reilly, Jr.".

Allen J. Reilly, Jr.

Project Manager

cc: J. Zollinger, Acme Township
S. Schooler, VGT

enclosures



TAKEN FROM 7.5 MINUTE SERIES TOPOGRAPHIC MAP
 TRAVERSE CITY SE AND WILLIAMSBURG 2014 QUADRANGLES
 NORTH AMERICAN VERTICAL DATUM OF 1988
 SCALE APPROX. 1" = 1600'

LEGEND:

- CREEK SAMPLING LOCATION

Figure 1

SITE LOCATION MAP
 Village at Grand Traverse
 Acme Township, Grand
 Traverse County, Michigan



4771 50th Street SE
 Grand Rapids, MI 49512

TABLE 1
ACME CREEK MONITORING RESULTS
GRAND TRAVERSE TOWN CENTER SITE
ACME TOWNSHIP, GRAND TRAVERSE COUNTY, MICHIGAN

Study Parameter	Part 4 Water Quality Standards	July 26, 2011 Baseline Pre-Construction		September 18, 2015 Post-Construction (Year 1/Month 1)		October 13, 2015 Post-Construction (Year 1/Month 2)		November 16, 2015 Post-Construction (Year 1/Month 3)		December 4, 2015 Post-Construction (Year 1/Month 4)		January 29, 2016 Post-Construction (Year 1/Month 5)		February 18, 2016 Post-Construction (Year 1/Month 6)	
		Upstream	Downstream	Upstream	Downstream	Upstream	Downstream	Upstream	Downstream	Upstream	Downstream	Upstream	Downstream	Upstream	Downstream
Macroinvertebrates	NA	-5													
e Coli (colonies/100 ml)	(1)	100	72	55	81	129	53	29	17	22	27	20	36	33	31
Dissolved Oxygen (mg/L)	7 (minimum)	11.4 ⁽²⁾	11.6 ⁽²⁾	12.4	12.4	11.0	11.2	10.9	11.3	11.5	11.5	13.8	13.7	13.4	14.3
Water Temperature (°F)	(3)	56.1	55.6	49.1	49.0	50.2	50.9	46.3	46.0	42.9	42.8	39.0	39.0	36.1	35.8
Specific Conductivity (µs/cm)	NA	334	334	294	293	343	432	345	358	339	341	346	346	338	330
pH (S.U.)	6.5 to 9.0	8.36	8.39	7.70	6.95	8.24	8.23	8.81	8.82	8.21	8.05	8.03	8.08	8.05	7.33
Volatile Organic Compounds	Various	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Total Organic Carbon (mg/L)	NA	1.3	1	<1.0	1.0	1.6	1.5	1.6	1.4	1.4	1.4	1.4	1.4	<1.0	<1.0
Total Dissolved Solids (mg/L)	500	204	180	250	260	240	230	240	240	240	240	210	240	240	230
Total Suspended Solids (mg/L)	Visual Standard	11.2	4.4	<5.0	<5.0	8	7	4	5	5	6	5	4	6	9
Turbidity (NTU)	Visual Standard			1.99	1.48	3.06	3.10	2.3	1.7	3.0	2.4	0.93	0.98	1.52	1.61
Water Velocity (ft/sec)	NA	1.3	1.2	0.9	1.6	1.4	3.2	3.1	2.8	1.9	2.0	1.7	1.8	1.8	1.6
Water Elevation (NAVD 88)	NA	609.97	606.04	610.01	606.11	610.12	606.17	610.09	606.22	610.10	606.23	610.08	606.23	610.04	606.13

- Notes:
- 1) Partial body contact maximum value 1,000 colonies per 100 ml (November 1 through April 30) and total body contact maximum value 300 colonies per 100 ml (May 1 through October 31)
 - 2) Baseline sample reported as percent saturation. Value converted to mg/L utilizing reported temperature, specific conductivity and standard barometric pressure
 - 3) Temperature varies seasonally
 - 4) EPA 8260 scan. All compounds below laboratory detection limits

TABLE 1
ACME CREEK MONITORING RESULTS
GRAND TRAVERSE TOWN CENTER SITE
ACME TOWNSHIP, GRAND TRAVERSE COUNTY, MICHIGAN

Study Parameter	Part 4 Water Quality Standards	July 26, 2011 Baseline Pre-Construction		March 16, 2016 Post-Construction (Year 1/Month 7)		April 21, 2016 Post-Construction (Year 1/Month 8)		May 26, 2016 Post-Construction (Year 1/Month 9)		June 22, 2016 Post-Construction (Year 1/Month 10)		July 20, 2016 Post-Construction (Year 1/Month 11)		August 24, 2016 Post-Construction (Year 1/Month 12)	
		Upstream	Downstream	Upstream	Downstream	Upstream	Downstream	Upstream	Downstream	Upstream	Downstream	Upstream	Downstream	Upstream	Downstream
Macroinvertebrates	NA	-5													
e Coli (colonies/100 ml)	(1)	100	72	86	126	43	21	16	243	19	30 ⁽⁵⁾	57	60 ⁽⁵⁾	66	75 ⁽⁵⁾
Dissolved Oxygen (mg/L)	7 (minimum)	11.4 ⁽²⁾	11.6 ⁽²⁾	11.4	11.7	11.3	11.3	11.8	12.1	10.9	10.8	10.1	9.7	11.2	11.3
Water Temperature (°F)	(3)	56.1	55.6	44.2	44.0	47.6	47.5	54	53.6	56.5	55.5	57.8	59.4	56.8	57.9
Specific Conductivity (µs/cm)	NA	334	334	482	534	345	324	234	326	422	433	219	220	284	287
pH (S.U.)	6.5 to 9.0	8.36	8.39	7.69	7.69	7.64	7.89	8.55	8.42	8.42	8.15	8.18	8.01	8.48	8.37
Volatile Organic Compounds	Various	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Total Organic Carbon (mg/L)	NA	1.3	1	3.5	3.6	1.2	1.3	0.8	0.7	1.0	1.6	1.3	1.2	0.9	1.0
Total Dissolved Solids (mg/L)	500	204	180	220	220	240	240	240	240	240	230	250	250	260	260
Total Suspended Solids (mg/L)	Visual Standard	11.2	4.4	20	33	7	4	2	4	4	6	4	5	9	8
Turbidity (NTU)	Visual Standard			10.4	12.9	2.0	2.9	1.0	3.0	2.8	2.6	2.6	2.2	2.2	2.0
Water Velocity (ft/sec)	NA	1.3	1.2	3.67	3.04	3.3	3.1	2.4	2.0	2.5	2.2	2.5	2.1	2.2	2.3
Water Elevation (NAVD 88)	NA	609.97	606.04	610.30	606.44	610.09	606.17	610.05	606.11	610.01	605.65	610	605.67	610.01	605.69

- Notes:
- 1) Partial body contact maximum value 1,000 colonies per 100 ml (November 1 through April 30) and total body contact maximum value 300 colonies per 100 ml (May 1 through October 31)
 - 2) Baseline sample reported as percent saturation. Value converted to mg/L utilizing reported temperature, specific conductivity and standard barometric pressure
 - 3) Temperature varies seasonally
 - 4) EPA 8260 scan. All compounds below laboratory detection limits
 - 5) E coli. value reports the geometric mean of three samples collected at the downstream location (left, center, and right)

TABLE 1
ACME CREEK MONITORING RESULTS
GRAND TRAVERSE TOWN CENTER SITE
ACME TOWNSHIP, GRAND TRAVERSE COUNTY, MICHIGAN

Study Parameter	Part 4 Water Quality Standards	July 26, 2011 Baseline Pre-Construction		November 1, 2016 Post-Construction (Year 2/Quarter 1)		February 23, 2017 Post-Construction (Year 2/Quarter 2)		May 31, 2017 Post-Construction (Year 2/Quarter 3)		August 30, 2017 Post-Construction (Year 2/Quarter 4)		November 13, 2017 Post-Construction (Year 3/Quarter 1)		February 13, 2018 Post-Construction (Year 3/Quarter 2)	
		Upstream	Downstream	Upstream	Downstream	Upstream	Downstream	Upstream	Downstream	Upstream	Downstream	Upstream	Downstream	Upstream	Downstream
Macroinvertebrates	NA	-5													
e Coli (colonies/100 ml)	(1)	100	72	39	18 ⁽⁵⁾	23	31	45	53	31	38	41	73	10	6
Dissolved Oxygen (mg/L)	7 (minimum)	11.4 ⁽²⁾	11.6 ⁽²⁾	10.5	10.5	9.9	9.7	9.4	10.1	9.6	9.7	11.8	11.7	13.8	14.1
Water Temperature (°F)	(3)	56.1	55.6	51.4	50.5	43.8	44.0	50.2	50.0	53.8	54.1	43.5	44.2	36.8	36.8
Specific Conductivity (µs/cm)	NA	334	334	740	740	330	353	474	497	209	208	306	359	355	324
pH (S.U.)	6.5 to 9.0	8.36	8.39	8.10	8.13	8.79	8.58	7.98	7.96	8.47	8.46	7.92	7.27	7.76	7.88
Volatile Organic Compounds	Various	(4)	(4)	Toluene 2 ⁽⁴⁾	Toulene 3 ⁽⁴⁾	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Total Organic Carbon (mg/L)	NA	1.3	1	1.4	1.5	1.8	1.8	1.6	1.7	0.6	0.5	0.9	1.3	18	25
Total Dissolved Solids (mg/L)	500	204	180	240	240	240	250	240	250	240	240	250	240	240	250
Total Suspended Solids (mg/L)	Visual Standard	11.2	4.4	5	5	6	4	4	7	4	4	8	7	5	6
Turbidity (NTU)	Visual Standard			0.3	1.2	2.0	2.0	1.7	1.8	2.6	3.0	3.3	3.2	5.4	8.5
Water Velocity (ft/sec)	NA	1.3	1.2	2.11	1.91	2.31	2.01	1.78	2.28	2.4	2.3	0.87	0.48	0.86	0.42
Water Elevation (NAVD 88)	NA	609.97	606.04	610.11	605.81	610.08	605.77	610.00	605.69	609.96	605.65	610.08	606.24	610.00	606.10

- Notes:
- 1) Parial body contact maximum value 1,000 colonies per 100 ml (November 1 through April 30) and total body contact maximum value 300 colonies per 100 ml (May 1 through October 31)
 - 2) Baseline sample reported as percent saturation. Value converted to mg/L utilizing reported temperature, specific conductivity and standard barometric pressure
 - 3) Temperature varies seasonally
 - 4) EPA 8260 scan. All compounds below laboratory detection limits except as noted.
 - 5) E coli. value reports the geometric mean of three samples collected at the downstream location (left, center, and right)

TABLE 1
ACME CREEK MONITORING RESULTS
GRAND TRAVERSE TOWN CENTER SITE
ACME TOWNSHIP, GRAND TRAVERSE COUNTY, MICHIGAN

Study Parameter	Part 4 Water Quality Standards	July 26, 2011 Baseline Pre-Construction		May 1, 2018 Post-Construction (Year 3/Quarter 3)		August 20, 2018 Post-Construction (Year 3/Quarter 4)		November 5, 2018 Post-Construction (Year 4/Quarter 1)		March 7, 2019 Post-Construction (Year 4/Quarter 2)		May 15, 2019 Post-Construction (Year 4/Quarter 3)			
		Upstream	Downstream	Upstream	Downstream	Upstream	Downstream	Upstream	Downstream	Upstream	Downstream	Upstream	Downstream		
Macroinvertebrates	NA	-5													
e Coli (colonies/100 ml)	(1)	100	72	43	58	40	36	39	53	40	20	15	19		
Dissolved Oxygen (mg/L)	7 (minimum)	11.4 ⁽²⁾	11.6 ⁽²⁾	21.7	23.7	13.4	13.4	11.2	11.0	13.7	13.8	11.2	11.3		
Water Temperature (°F)	65 ⁽³⁾	56.1	55.6	47.0	46.9	53.8	53.6	46.2	46.0	37.8	37.6	49.3	48.7		
Specific Conductivity (µs/cm)	NA	334	334	334	341	285	285	338	343	298	303	610	623		
pH (S.U.)	6.5 to 9.0	8.36	8.39	8.10	7.89	8.72	8.70	7.49	7.47	7.29	6.66	7.63	7.42		
Volatile Organic Compounds	Various	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)		
Total Organic Carbon (mg/L)	NA	1.3	1	1.5	1.7	0.96	0.82	1.9	1.5	1.7	3.2	1.3	1.4		
Total Dissolved Solids (mg/L)	500	204	180	240	250	250	250	250	250	250	250	250	250		
Total Suspended Solids (mg/L)	Visual Standard	11.2	4.4	4	4	6	5	2	3	3	2	5	4		
Turbidity (NTU)	Visual Standard			1.5	1.0	1.2	2.1	0.8	0.4	1.3	1.2	2.3	2.5		
Water Velocity (ft/sec)	NA	1.3	1.2	0.68	0.74	0.81	0.53	1.2	1.2	1.2	0.96	1.4	0.70		
Water Elevation (NAVD 88)	NA	609.97	606.04	610.01	606.13	609.92	605.96	610.11	606.23	609.97	606.06	610.01	606.09		

- Notes:
- 1) Partial body contact maximum value 1,000 colonies per 100 ml (November 1 through April 30) and total body contact maximum value 300 colonies per 100 ml (May 1 through October 31)
 - 2) Baseline sample reported as percent saturation. Value converted to mg/L utilizing reported temperature, specific conductivity and standard barometric pressure
 - 3) Temperature varies seasonally (May Value Shown)
 - 4) EPA 8260 scan. All compounds below laboratory detection limits except as noted.

ATTACHMENT I

LABORATORY DATA SHEETS



4125 Cedar Run Road, Suite B
Traverse City, MI 49684

Phone: (231) 946-6767 Fax: (231) 946-8741
Email: shanna@sosanalytical.com www.sosanalytical.com

CUSTODY TRANSFER RECORD

Client / Company Name : BARR engineering

Site Address : VGT

Project # / WSSN # :

Sampling Company :

Sampler's Name : Mike Potter

Send Results To : JAMIE EDELYN

Address :

Phone :

Fax / E-mail :

JEDELYN@BARR.COM

Invoice To :

Address :

SOS Project ID #

192015

Cooler Temp (°C) 3.0 Page ON ICE

Analysis Information

HCL HNO ₃ H ₂ SO ₄ NaOH MEQH	HCL HNO ₃ H ₂ SO ₄ NaOH MEQH	HCL HNO ₃ H ₂ SO ₄ NaOH MEQH	HCL HNO ₃ H ₂ SO ₄ NaOH MEQH	HCL HNO ₃ H ₂ SO ₄ NaOH MEQH	HCL HNO ₃ H ₂ SO ₄ NaOH MEQH	HCL HNO ₃ H ₂ SO ₄ NaOH MEQH	HCL HNO ₃ H ₂ SO ₄ NaOH MEQH	HCL HNO ₃ H ₂ SO ₄ NaOH MEQH	HCL HNO ₃ H ₂ SO ₄ NaOH MEQH
<u>VOE's</u>	<u>TOE's</u>	<u>TSS TDS</u>	<u>BEOL</u>						
X	X	X	X						
X	X	X	X						

RUSH Due :
Call To Schedule

Sample Identification	Collection Information		# of Containers	Matrix DW, WW, GW, Soil, Oil, Sludge	Comments / Other Analysis
	Date	Time			
<u>Acme Downstream</u>	<u>5-15</u>	<u>1115</u> AM	<u>5</u>	<u>SW</u> Grab	
<u>Acme Upstream</u>	<u>5-15</u>	<u>1130</u> PM	<u>5</u>	<u>SW</u> Comp	
				Grab	
				Comp	
				Grab	
				Comp	
				Grab	
				Comp	
				Grab	
				Comp	
				Grab	
				Comp	
				Grab	
				Comp	
				Grab	
				Comp	
				Grab	
				Comp	

Relinquished by: [Signature] Date: 5-15-19 Time: 1326 AM/PM

Received by: _____ Date: _____ Time: _____ AM/PM

Relinquished by: _____ Date: _____ Time: _____ AM/PM

Received in lab by: C. Hubbard Date: 5/15/19 Time: 1:25 AM/PM



4125 Cedar Run Rd., Suite B
 Traverse City, MI 49684
 Phone 231-946-6767
 Fax 231-946-8741
 www.sosanalytical.com

COMPANY: BARR ENGINEERING

SOS PROJECT NO: 192015

NAME:

SAMPLED BY: MIKE POTTER/BARR
ENGINEERING

PROJECT NO:

DATE SAMPLED: 5/15/2019

WSSN:

TIME SAMPLED:

WELL PERMIT:

SAMPLE MATRIX: SURFACE WATER

TAX ID:

DATE RECEIVED: 5/15/2019

LOCATION: VGT

TIME RECEIVED: 1:25 PM

MI

COUNTY:

TWP:

BACTERIA/WET CHEMISTRY

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Drinking Water Reg Limit(MCL)</u>
SAMPLE ID: ACME DOWNSTREAM (11:15AM)							
1	E.COLI SM9223-B MPN	19		Colonies/100 mLKMJ		5/16/2019	
1	RESIDUE, FILTERABLE(TDS)/SM2540C	250	10	mg/L (PPM)	AD	5/21/2019	
1	RESIDUE, NON-FILTERABLE(TSS)/SM2540D	4	1	mg/L (PPM)	AD	5/17/2019	
1	TOTAL ORGANIC CARBON SM5310B	1.4	0.5	mg/L (PPM)	FT	5/23/2019	
SAMPLE ID: ACME UPSTREAM (11:30AM)							
2	E.COLI SM9223-B MPN	15		Colonies/100 mLKMJ		5/16/2019	
2	RESIDUE, FILTERABLE(TDS)/SM2540C	250	10	mg/L (PPM)	AD	5/21/2019	
2	RESIDUE, NON-FILTERABLE(TSS)/SM2540D	5	1	mg/L (PPM)	AD	5/17/2019	
2	TOTAL ORGANIC CARBON SM5310B	1.3	0.5	mg/L (PPM)	FT	5/23/2019	

ND = NOT DETECTED
 LOD = LIMIT OF DETECTION
 SMCL = FEDERAL NON-ENFORCEABLE LIMIT
 MCL = MAXIMUM CONTAMINANT LEVEL
 s.u. = STANDARD pH UNITS REPORTED AT 25 C
 DISS = DISSOLVED

APPROVED BY: Shanna Shea
 SHANNA SHEA
 LAB MANAGER



4125 Cedar Run Rd., Suite B
 Traverse City, MI 49684
 Phone 231-946-6767
 Fax 231-946-8741
 www.sosanalytical.com

COMPANY: BARR ENGINEERING
 NAME:
 PROJECT NO:
 WSSN:
 LOCATION: VGT

SOS PROJECT NO: 192015 - 1
 DATE SAMPLED: 5/15/2019
 TIME SAMPLED:
 SAMPLE MATRIX: SURFACE WATER
 SAMPLE ID: ACME DOWNSTREAM (11:15AM)

SAMPLED BY: MIKE POTTER/BARR ENGINEERING


DATE RECEIVED: 5/15/2019
 TIME RECEIVED: 1:25 PM

EPA 8260 VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= SW/MM Date Extracted= Date Completed= 5/17/2019 Prep Method= EPA 5030B

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	5	cis-1,3-DICHLOROPROPENE	ND	1
BENZENE	ND	1	trans-1,3-DICHLOROPROPENE	ND	1
BROMOBENZENE	ND	1	DIETHYL ETHER	ND	5
BROMOCHLOROMETHANE	ND	1	ETHYLBENZENE	ND	1
BROMODICHLOROMETHANE	ND	1	IODOMETHANE	ND	1
BROMOFORM	ND	1	ISOPROPYLBENZENE	ND	1
BROMOMETHANE	ND	1	ISOPROPYLTOLUENE	ND	1
n-BUTYLBENZENE	ND	1	METHYL ETHYL KETONE	ND	5
s-BUTYLBENZENE	ND	1	METHYL-t-BUTYL ETHER	ND	5
t-BUTYLBENZENE	ND	1	METHYLENE CHLORIDE	ND	5
CARBON DISULFIDE	ND	1	MIBK	ND	5
CARBON TETRACHLORIDE	ND	1	2-METHYLNAPHTHALENE	ND	5
CHLOROENZENE	ND	1	NAPHTHALENE	ND	5
CHLOROFORM	ND	1	n-PROPYLBENZENE	ND	1
CHLOROETHANE	ND	1	STYRENE	ND	1
CHLOROMETHANE	ND	1	1,1,1,2-TETRACHLOROETHANE	ND	1
DIBROMOCHLOROMETHANE	ND	1	1,1,2,2-TETRACHLOROETHANE	ND	1
DIBROMOMETHANE	ND	1	TETRACHLOROETHENE	ND	1
1,2-DIBROMO3CHLOROPROPANE	ND	5	TOLUENE	ND	1
1,2-DIBROMOETHANE	ND	1	1,2,3-TRICHLOROENZENE	ND	1
1,2-DICHLOROENZENE	ND	1	1,2,4-TRICHLOROENZENE	ND	1
1,3-DICHLOROENZENE	ND	1	1,1,1-TRICHLOROETHANE	ND	1
1,4-DICHLOROENZENE	ND	1	1,1,2-TRICHLOROETHANE	ND	1
DICHLORODIFLUOROMETHANE	ND	1	TRICHLOROETHENE	ND	1
1,1-DICHLOROETHANE	ND	1	TRICHLORFLUOROMETHANE	ND	1
1,2-DICHLOROETHANE	ND	1	1,2,3-TRICHLOROPROPANE	ND	1
1,1-DICHLOROETHENE	ND	1	1,2,4-TRIMETHYLBENZENE	ND	1
cis-1,2-DICHLOROETHENE	ND	1	1,3,5-TRIMETHYLBENZENE	ND	1
trans-1,2-DICHLOROETHENE	ND	1	VINYL CHLORIDE	ND	1
1,2-DICHLOROPROPANE	ND	1	XYLENE (TOTAL)	ND	3

ND = NOT DETECTED
 LOD = LIMIT OF DETECTION

APPROVED BY: 
 SHANNA SHEA / LAB MANAGER



4125 Cedar Run Rd., Suite B
 Traverse City, MI 49684
 Phone 231-946-6767
 Fax 231-946-8741
 www.sosanalytical.com

COMPANY: BARR ENGINEERING
 NAME:
 PROJECT NO:
 WSSN:
 LOCATION: VGT

SOS PROJECT NO: 192015 - 2
 DATE SAMPLED: 5/15/2019
 TIME SAMPLED:
 SAMPLE MATRIX: SURFACE WATER
 SAMPLE ID: ACME UPSTREAM (11:30AM)

SAMPLED BY: MIKE POTTER/BARR ENGINEERING

DATE RECEIVED: 5/15/2019
 TIME RECEIVED: 1:25 PM

EPA 8260 VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= SW/MM Date Extracted= Date Completed= 5/17/2019 Prep Method= EPA 5030B

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	5	cis-1,3-DICHLOROPROPENE	ND	1
BENZENE	ND	1	trans-1,3-DICHLOROPROPENE	ND	1
BROMOBENZENE	ND	1	DIETHYL ETHER	ND	5
BROMOCHLOROMETHANE	ND	1	ETHYLBENZENE	ND	1
BROMODICHLOROMETHANE	ND	1	IODOMETHANE	ND	1
BROMOFORM	ND	1	ISOPROPYLBENZENE	ND	1
BROMOMETHANE	ND	1	ISOPROPYLTOLUENE	ND	1
n-BUTYLBENZENE	ND	1	METHYL ETHYL KETONE	ND	5
s-BUTYLBENZENE	ND	1	METHYL-t-BUTYL ETHER	ND	5
t-BUTYLBENZENE	ND	1	METHYLENE CHLORIDE	ND	5
CARBON DISULFIDE	ND	1	MIBK	ND	5
CARBON TETRACHLORIDE	ND	1	2-METHYLNAPHTHALENE	ND	5
CHLOROENZENE	ND	1	NAPHTHALENE	ND	5
CHLOROFORM	ND	1	n-PROPYLBENZENE	ND	1
CHLOROETHANE	ND	1	STYRENE	ND	1
CHLOROMETHANE	ND	1	1,1,1,2-TETRACHLOROETHANE	ND	1
DIBROMOCHLOROMETHANE	ND	1	1,1,2,2-TETRACHLOROETHANE	ND	1
DIBROMOMETHANE	ND	1	TETRACHLOROETHENE	ND	1
1,2-DIBROMO3CHLOROPROPANE	ND	5	TOLUENE	ND	1
1,2-DIBROMOETHANE	ND	1	1,2,3-TRICHLOROBENZENE	ND	1
1,2-DICHLOROBENZENE	ND	1	1,2,4-TRICHLOROBENZENE	ND	1
1,3-DICHLOROBENZENE	ND	1	1,1,1-TRICHLOROETHANE	ND	1
1,4-DICHLOROBENZENE	ND	1	1,1,2-TRICHLOROETHANE	ND	1
DICHLORODIFLUOROMETHANE	ND	1	TRICHLOROETHENE	ND	1
1,1-DICHLOROETHANE	ND	1	TRICHLORFLUOROMETHANE	ND	1
1,2-DICHLOROETHANE	ND	1	1,2,3-TRICHLOROPROPANE	ND	1
1,1-DICHLOROETHENE	ND	1	1,2,4-TRIMETHYLBENZENE	ND	1
cis-1,2-DICHLOROETHENE	ND	1	1,3,5-TRIMETHYLBENZENE	ND	1
trans-1,2-DICHLOROETHENE	ND	1	VINYL CHLORIDE	ND	1
1,2-DICHLOROPROPANE	ND	1	XYLENE (TOTAL)	ND	3

ND = NOT DETECTED
 LOD = LIMIT OF DETECTION

APPROVED BY:

Shanna Shea
 SHANNA SHEA / LAB MANAGER